

Expanded BRFSS, 2003

Schenectady Locality Tables

TABLE OF CONTENTS:

Core 1: Health Status / Healthy Days	1
Core 2: Health Care Access	4
Core 3: Exercise	8
Core 4: Diabetes	9
Core 5: Asthma	10
Core 6: Arthritis	12
Core 7: Tobacco Use	14
Core 8: Tobacco ETS	17
Core 9: Alcohol Consumption	19
Core 10: Weight Status	21
Core 11: Mammography	23
Core 12: Sexual Behavior	25
Core 13: Family Planning	28
Core 14: Cardiovascular Disease	29
Core 15: Prostate Cancer Screening	31
Core 16: Colorectal Cancer Screening	37

New York State Department Of Health

Expanded BRFSS, 2003 - New York State Department of Health

Self-rated Health Status

Schenectady

Demographic Groups	n ¹	Fair or Poor % ²	n	Good to Excellent %	C.I. ³
Total	89	11.7	544	88.3	2.5
Gender					
Male	29	9.7	207	90.3	3.7
Female	60	13.4	337	86.6	3.5
Age					
18-34	9	6.4	115	93.6	4.3
35-54	29	9.6	222	90.4	3.7
≥55	48	17.8	200	82.2	5.1
Education					
≤High School	57	20.3	181	79.7	5.3
>High School	32	6.6	362	93.4	2.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Physical Distress Days in the Past Month

Schenectady

Demographic Groups	n ¹	≥14 days % ²	n	< 14 days %	C.I. ³
Total	71	9.8	552	90.2	2.4
Gender					
Male	25	9.0	211	91.0	3.7
Female	46	10.6	341	89.4	3.2
Age					
18-34	3	2.1	120	97.9	2.5
35-54	33	12.2	215	87.8	4.5
≥55	34	13.3	209	86.7	4.6
Education					
≤High School	38	14.4	195	85.6	4.7
>High School	33	7.2	356	92.8	2.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Number of Mental Distress Days in the Past Month

Schenectady

Demographic Groups	n ¹	≥14 days % ²	n	< 14 days %	C.I. ³
Total	67	9.6	551	90.4	2.4
Gender					
Male	18	6.3	211	93.7	3.1
Female	49	12.5	340	87.5	3.7
Age					
18-34	19	13.2	104	86.8	6.2
35-54	34	10.8	213	89.2	3.8
≥55	13	5.3	226	94.7	2.9
Education					
≤High School	27	11.8	201	88.2	4.6
>High School	40	8.4	349	91.6	2.8

¹ Percents based on row denominators of less than 50 are unstable and should be used with caution

² Weighted Percent

³ 95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, 18-64 Years of Age

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	405	87.3	47	12.7	3.7
Gender					
Male	149	85.4	23	14.6	6.0
Female	256	89.1	24	10.9	4.6
Age					
18-34	103	82.7	20	17.3	7.7
35-54	228	89.2	22	10.8	4.7
55-64	74	91.3	5	8.7	7.6
Education					
≤High School	125	81.2	24	18.8	7.3
>High School	280	90.4	23	9.6	4.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Health Insurance Coverage, Aged 18 and Older

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	580	89.5	52	10.5	3.0
Gender					
Male	209	87.4	26	12.6	5.0
Female	371	91.4	26	8.6	3.5
Age					
18-34	103	82.7	20	17.3	7.7
35-54	228	89.2	22	10.8	4.7
≥55	240	95.2	9	4.8	3.2
Education					
≤High School	210	85.7	27	14.3	5.4
>High School	369	91.7	25	8.3	3.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Reported Having a Routine Physical Exam in Past Two Years

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	570	87.7	62	12.3	3.2
Gender					
Male	201	84.1	35	15.9	5.3
Female	369	90.9	27	9.1	3.7
Age					
18-34	98	79.4	25	20.6	8.2
35-54	223	85.8	28	14.2	5.1
≥55	241	96.7	7	3.3	2.5
Education					
≤High School	215	88.9	22	11.1	4.8
>High School	354	86.9	40	13.1	4.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Time in Past 12 Months when Needed Medical Care but Could Not Get It

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	39	6.0	594	94.0	2.0
Gender					
Male	15	5.7	222	94.3	3.1
Female	24	6.2	372	93.8	2.6
Age					
18-34	11	7.3	112	92.7	4.4
35-54	18	7.7	233	92.3	3.8
≥55	10	3.1	239	96.9	2.0
Education					
≤High School	19	7.8	219	92.2	3.7
>High School	20	4.9	374	95.1	2.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Participated in Leisure-Time Physical Activity or Exercise During the Past 30 Days

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	488	80.1	146	19.9	3.3
Gender					
Male	190	84.1	47	15.9	4.6
Female	298	76.6	99	23.4	4.5
Age					
18-34	99	82.9	25	17.1	6.7
35-54	198	82.0	53	18.0	5.0
≥55	184	76.0	65	24.0	5.6
Education					
≤High School	157	69.3	81	30.7	6.4
>High School	330	86.5	65	13.5	3.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Diabetes

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	49	6.1	584	93.9	1.8
Gender					
Male	21	5.9	216	94.1	2.7
Female	28	6.2	368	93.8	2.5
Age					
18-34	1	0.5	123	99.5	1.0
35-54	7	2.2	244	97.8	1.7
≥55	38	14.4	210	85.6	4.7
Education					
≤High School	24	7.8	214	92.2	3.3
>High School	24	4.7	370	95.3	2.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Lifetime Asthma Diagnosed by a Medical Professional

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	89	14.7	545	85.3	3.3
Gender					
Male	31	15.4	206	84.6	5.5
Female	58	14.2	339	85.8	3.7
Age					
18-34	23	18.1	101	81.9	7.4
35-54	39	17.1	212	82.9	5.6
≥55	25	8.9	224	91.1	3.6
Education					
≤High School	29	10.8	209	89.2	4.2
>High School	60	17.1	335	82.9	4.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Asthma Diagnosed by a Medical Professional

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	61	9.5	570	90.5	2.6
Gender					
Male	15	7.5	220	92.5	4.1
Female	46	11.2	350	88.8	3.4
Age					
18-34	15	11.3	108	88.7	5.9
35-54	28	11.3	222	88.7	4.6
≥55	16	5.4	232	94.6	2.8
Education					
≤High School	21	7.5	216	92.5	3.4
>High School	40	10.6	353	89.4	3.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Arthritis Diagnosed by a Medical Professional

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	226	29.6	406	70.4	3.8
Gender					
Male	65	21.0	172	79.0	5.2
Female	161	37.2	234	62.8	5.2
Age					
18-34	13	9.0	111	91.0	5.0
35-54	79	27.5	172	72.5	6.0
≥55	128	48.0	119	52.0	6.8
Education					
≤High School	102	37.2	136	62.8	6.8
>High School	123	24.9	270	75.1	4.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Adults with Doctor Diagnosed Arthritis or Possible Arthritis (Chronic Joint Symptoms Only)

Schenectady

Demographic Groups	n ¹	Doctor Diagnosed % ²	C.I. ³	n	Possible Arthritis (CJS Only) %	C.I.	n	No Arthritis or CJS %	C.I.
Total	226	29.7	3.8	87	14.8	3.3	316	55.5	4.4
Gender									
Male	65	21.2	5.3	41	18.6	5.7	129	60.2	6.8
Female	161	37.3	5.2	46	11.4	3.5	187	51.3	5.6
Age									
18-34	13	9.0	5.0	23	19.4	8.0	88	71.6	8.8
35-54	79	27.7	6.0	37	14.7	5.0	134	57.7	6.9
≥55	128	48.4	6.9	27	11.6	4.5	90	40.1	6.8
Education									
≤High School	102	37.3	6.8	32	16.5	5.7	103	46.2	7.3
>High School	123	25.0	4.4	55	13.8	4.0	213	61.2	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Smoked 100 Cigarettes in Lifetime

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	316	49.0	318	51.0	4.4
Gender					
Male	117	49.1	120	50.9	7.1
Female	199	49.0	198	51.0	5.6
Age					
18-34	49	38.6	75	61.4	9.7
35-54	128	51.9	123	48.1	7.0
≥55	134	54.1	115	45.9	6.8
Education					
≤High School	148	63.1	90	36.9	6.9
>High School	167	40.6	228	59.4	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Current Smoker

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	137	22.8	497	77.2	3.9
Gender					
Male	48	21.4	189	78.6	6.0
Female	89	24.1	308	75.9	5.0
Age					
18-34	34	27.6	90	72.4	9.2
35-54	76	31.0	175	69.0	6.5
≥55	25	9.2	224	90.8	3.7
Education					
≤High School	73	34.3	165	65.7	7.1
>High School	64	16.1	331	83.9	4.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Status of Cigarette Smoking*Schenectady*

Demographic Groups	n¹	Everyday Smoker %²	C.I.³	n	Someday Smoker %	C.I.	n	Former or Never Smoked %	C.I.
Total	103	17.6	3.6	34	5.3	2.0	497	77.2	3.9
Gender									
Male	32	15.0	5.3	16	6.4	3.4	189	78.6	6.0
Female	71	19.8	4.8	18	4.3	2.1	308	75.9	5.0
Age									
18-34	25	20.4	8.5	9	7.2	5.1	90	72.4	9.2
35-54	58	24.3	6.1	18	6.7	3.3	175	69.0	6.5
≥55	18	7.0	3.3	7	2.1	1.6	224	90.8	3.7
Education									
≤High School	57	28.0	6.9	16	6.3	3.3	165	65.7	7.1
>High School	46	11.5	3.6	18	4.7	2.4	331	83.9	4.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking Policies*Schenectady*

Demographic Groups	n¹	Not Allowed %²	C.I.³	n	Allowed Some Places %	C.I.	n	Allowed Anywhere %	C.I.
Total	418	65.4	4.3	78	13.4	3.3	135	21.1	3.6
Gender									
Male	151	64.2	6.9	27	13.2	5.2	57	22.6	5.8
Female	267	66.5	5.3	51	13.6	4.1	78	19.8	4.4
Age									
18-34	82	68.1	9.3	17	15.0	7.7	25	16.8	7.0
35-54	165	62.4	7.0	36	15.0	5.2	50	22.7	6.1
≥55	166	67.7	6.4	24	10.4	4.3	56	21.9	5.5
Education									
≤High School	133	53.3	7.3	40	19.2	6.1	63	27.5	6.5
>High School	284	72.5	5.1	38	10.1	3.7	72	17.5	4.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution²Weighted Percent³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Home Smoking

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	156	26.2	477	73.8	4.0
Gender					
Male	61	26.3	176	73.7	6.3
Female	95	26.1	301	73.9	5.1
Age					
18-34	33	25.0	91	75.0	8.7
35-54	73	31.6	178	68.4	6.7
≥55	47	20.4	201	79.6	5.6
Education					
≤High School	90	41.8	148	58.2	7.3
>High School	66	17.1	328	82.9	4.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Binge Drinking (Drank in Past Month and had 5 or more Drinks per drink Occasion)

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	59	12.3	567	87.7	3.4
Gender					
Male	37	18.2	192	81.8	5.9
Female	22	7.3	375	92.7	3.6
Age					
18-34	24	21.3	97	78.7	8.6
35-54	24	12.6	225	87.4	5.4
≥55	10	5.0	237	95.0	3.2
Education					
≤High School	24	14.5	210	85.5	6.1
>High School	35	11.1	356	88.9	4.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

At Risk for Heavy Drinking (Males More Than 2 Drinks and Females More Than 1 Drink per Day in Past Month)

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	35	5.7	592	94.3	2.1
Gender					
Male	17	7.5	214	92.5	3.9
Female	18	4.0	378	96.0	2.0
Age					
18-34	7	5.6	116	94.4	4.4
35-54	13	5.8	236	94.2	3.6
≥55	14	5.4	232	94.6	3.0
Education					
≤High School	16	7.9	217	92.1	4.2
>High School	19	4.4	374	95.6	2.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Overweight or Obese, BMI(Body Mass Index) 25 or More

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	352	60.7	258	39.3	4.4
Gender					
Male	168	74.6	68	25.4	5.9
Female	184	47.8	190	52.2	5.7
Age					
18-34	65	55.0	57	45.0	9.9
35-54	136	63.6	99	36.4	6.7
≥55	146	62.1	98	37.9	6.6
Education					
≤High School	145	62.9	85	37.1	7.2
>High School	206	59.3	173	40.7	5.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Weight Status (Not Overweight BMI<25, Overweight BMI 25-29, Obese BMI 30+)

Schenectady

Demographic Groups	n¹	Underweight\ Normal %²	C.I.³	n	Overweight %	C.I.	n	Obese %	C.I.
Total	258	39.4	4.4	208	37.7	4.5	143	22.9	3.8
Gender									
Male	68	25.6	5.9	108	50.3	7.1	59	24.0	6.0
Female	190	52.2	5.7	100	26.0	4.9	84	21.8	4.6
Age									
18-34	57	45.0	9.9	38	35.5	9.7	27	19.5	7.5
35-54	99	36.4	6.7	76	37.3	7.2	60	26.3	6.5
≥55	98	38.3	6.6	93	40.8	6.8	52	20.9	5.6
Education									
≤High School	85	37.5	7.3	77	34.2	7.0	67	28.3	6.5
>High School	173	40.7	5.5	130	39.6	5.8	76	19.7	4.6

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Mammography Screening, Women Aged 40 Years and Older

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Female	260	93.8	16	6.2	3.1
Age					
40-64	154	91.3	13	8.7	4.8
≥65	106	98.1	3	1.9	2.2
Education					
≤High School	112	93.2	9	6.8	4.7
>High School	148	94.4	7	5.6	4.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Mammography Screening in Past Two Years, Women Aged 40 Years and Older

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Female	220	79.9	56	20.1	5.1
Age					
40-64	133	78.7	34	21.3	6.8
≥65	87	81.8	22	18.2	7.4
Education					
≤High School	93	78.4	28	21.6	7.8
>High School	127	81.1	28	18.9	6.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Counseled by Medical Professional on Prevention of STD's Through Condom Use, Aged 64 or Younger

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	63	14.3	383	85.7	3.9
Gender					
Male	14	9.0	158	91.0	5.1
Female	49	19.5	225	80.5	5.7
Age					
18-34	40	32.0	81	68.0	9.5
35-54	21	6.4	226	93.6	2.8
55-64	2	1.4	76	98.6	2.1
Education					
≤High School	28	19.9	120	80.1	7.8
>High School	35	11.5	263	88.5	4.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Sexually Active, Age 18-64 Years Old

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	330	80.9	97	19.1	4.2
Gender					
Male	130	81.9	36	18.1	6.1
Female	200	79.9	61	20.1	5.7
Age					
18-34	97	80.9	19	19.1	8.6
35-54	192	85.5	46	14.5	4.5
55-64	41	64.3	32	35.7	11.8
Education					
≤High School	108	83.3	31	16.7	6.4
>High School	222	79.7	66	20.3	5.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used Condom Last Time Had Sexual Intercourse, Aged 64 or Younger

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	75	22.5	259	77.5	5.1
Gender					
Male	34	25.7	100	74.3	8.3
Female	41	19.3	159	80.7	5.9
Age					
18-34	42	40.9	59	59.1	10.7
35-54	30	14.2	162	85.8	5.5
55-64	3	5.3	38	94.7	7.1
Education					
≤High School	29	22.8	84	77.2	8.5
>High School	46	22.4	175	77.6	6.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Birth Control(BC) Use To Prevent Pregnancy Among Reproductive Aged Men(18-59) and Women(18-44)

Schenectady

Demographic Groups	Use BC			No BC at risk			No BC		
	n ¹	% ²	C.I. ³	n	%	C.I.	n	%	C.I.
Total	200	67.0	5.9	34	9.9	3.5	74	23.1	5.4
Gender									
Male	93	65.0	8.0	16	8.2	4.2	46	26.9	7.4
Female	107	70.0	8.7	18	12.6	6.1	28	17.5	7.5
Age									
18-34	81	66.2	9.5	15	11.8	6.1	25	22.1	8.5
35-59	119	67.6	7.4	19	8.4	4.0	49	24.0	6.8
Education									
≤High School	68	70.0	9.9	12	11.5	6.9	21	18.5	8.2
>High School	132	65.5	7.3	22	9.1	4.0	53	25.4	6.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Heart Attack, Angina or Stroke

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	61	8.1	564	91.9	2.2
Gender					
Male	31	10.3	203	89.7	3.8
Female	30	6.1	361	93.9	2.3
Age					
18-64	17	3.3	431	96.7	1.7
≥65	44	25.7	125	74.3	7.1
Education					
≤High School	29	10.9	203	89.1	4.2
>High School	32	6.5	360	93.5	2.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Physician Diagnosed Coronary Heart Disease (Heart Attack or Angina)

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	52	7.0	572	93.0	2.0
Gender					
Male	28	9.4	205	90.6	3.7
Female	24	4.9	367	95.1	2.1
Age					
18-64	14	2.9	434	97.1	1.7
≥65	38	22.3	130	77.7	6.8
Education					
≤High School	26	10.1	205	89.9	4.1
>High School	26	5.3	366	94.7	2.1

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had Prostate Specific Antigen Test, Men Aged 40 and Older

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Male	101	66.4	49	33.6	8.4
Age					
40-64	51	56.9	43	43.1	10.9
≥65	50	90.0	6	10.0	8.2
Education					
≤High School	30	52.8	25	47.2	14.7
>High School	70	74.0	24	26.0	9.8

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Received Prostate Specific Antigen Test in the Past Two Years, Men Aged 40 and Older

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	92	60.1	58	39.9	8.7
Age					
40-64	43	48.9	51	51.1	11.0
≥65	49	87.7	7	12.3	9.2
Education					
≤High School	27	45.9	28	54.1	14.6
>High School	64	67.9	30	32.1	10.4

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Digital Rectal Exam, Men Aged 40 and Older

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Male	140	87.4	20	12.6	5.8
Age					
40-64	82	84.2	17	15.8	7.7
≥65	58	95.1	3	4.9	5.7
Education					
≤High School	46	81.0	12	19.0	10.7
>High School	94	91.9	7	8.1	6.5

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Used a Blood Stool Test at Home, Aged 50 and Older

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	176	59.7	125	40.3	6.1
Gender					
Male	64	58.9	48	41.1	9.9
Female	112	60.3	77	39.7	7.6
Age					
50-64	78	58.9	54	41.1	9.4
≥65	98	60.4	71	39.6	7.9
Education					
≤High School	64	51.2	60	48.8	9.7
>High School	111	65.1	65	34.9	7.7

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past Year, Aged 50 and Older

Schenectady

Demographic Groups	n ¹	Yes % ²	n	No %	C.I. ³
Total	93	31.4	205	68.6	5.8
Gender					
Male	42	37.8	70	62.2	9.8
Female	51	26.2	135	73.8	6.8
Age					
50-64	44	32.7	87	67.3	8.9
≥65	49	30.2	118	69.8	7.6
Education					
≤High School	33	25.2	89	74.8	8.2
>High School	59	35.1	116	64.9	7.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Used a Blood Stool Test at Home in the Past 2 Years, Aged 50 and Older

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	130	43.3	168	56.7	6.2
Gender					
Male	49	44.5	63	55.5	10.1
Female	81	42.3	105	57.7	7.7
Age					
50-64	57	42.0	74	58.0	9.4
≥65	73	44.5	94	55.5	8.2
Education					
≤High School	50	38.2	72	61.8	9.3
>High School	79	46.2	96	53.8	8.2

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Ever Had a Sigmoidoscopy or Colonoscopy, Aged 50 and Older

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	175	59.5	125	40.5	6.1
Gender					
Male	69	61.9	43	38.1	9.9
Female	106	57.6	82	42.4	7.6
Age					
50-64	68	53.3	63	46.7	9.5
≥65	107	65.3	62	34.7	7.7
Education					
≤High School	60	51.7	64	48.3	9.7
>High School	114	64.4	61	35.6	7.9

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Sigmoidoscopy or Colonoscopy in the Past 10 Years, Aged 50 and Older

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	166	57.0	132	43.0	6.2
Gender					
Male	64	58.6	47	41.4	10.0
Female	102	55.7	85	44.3	7.7
Age					
50-64	63	49.9	67	50.1	9.6
≥65	103	63.7	65	36.3	7.8
Education					
≤High School	57	49.8	66	50.2	9.8
>High School	108	61.6	66	38.4	8.0

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval

Expanded BRFSS, 2003 - New York State Department of Health

Had a Blood Stool Test Using a Home Kit in the Past Year or Had a Lower Endoscopy in the Past 10 Years, Aged 50 and Older

Schenectady

Demographic Groups	n¹	Yes %²	n	No %	C.I.³
Total	197	66.7	104	33.3	5.8
Gender					
Male	77	70.0	35	30.0	9.2
Female	120	64.0	69	36.0	7.4
Age					
50-64	82	62.9	50	37.1	9.1
≥65	115	70.2	54	29.8	7.3
Education					
≤High School	70	58.2	54	41.8	9.5
>High School	126	72.1	50	27.9	7.3

¹Percents based on row denominators of less than 50 are unstable and should be used with caution

²Weighted Percent

³95% Confidence Interval